PTO/SB/17 (12-04v2)

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Partwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.										
Effective on 12/08/2004.				Complete if Known						
				Application Nur	mber	10/714,512				
FEE TRANSMITTAL For FY 2005			Filing Date		November 14, 2003					
			First Named In	ventor	Jean Ellen Johnson					
			Examiner Nam	е	Avila, S.P.					
Applicant claims small entity status. See 37 CFR 1.27			Art Unit		3617					
TOTAL AMOUNT OF PAYI	MENT (\$	910.00	)	Attorney Docke	et No.	STEA-1-1001				
METHOD OF PAYMENT (check all that apply)										
Check Credit Card Money Order None Other (please identify):										
Deposit Account Deposit Account Number: 501050 Deposit Account Name:										
For the above-identified deposit account, the Director is hereby authorized to: (check all that apply)										
Charge fee(s) indicated below Charge fee(s) indicated below, except for the filing fee										
		e(s) or underpaym	ents of fe	e(s) Credi	it any ove	erpayments				
under 37 CFR 1.16 and 1.17  WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.										
FEE CALCULATION										
1. BASIC FILING, SEAF	CH, AND			CH FEES	FΧΔN	IINATION FEE	s			
Annlingtion Type		Small Entity		Small Entity		Small Entity	-			
Application Type	Fee (\$) 300	<u>Fee (\$)</u> 150	Fee (\$		<u>Fee</u> 200		rees Faid (\$)			
Utility	200	100	100	250	130					
Design Plant	200	100	300	50 150	160					
Reissue	300	150	500	250	600					
Provisional	200	100	0	0	000	• • •				
2. EXCESS CLAIM FEE Fee Description Each claim over 20 (i Each independent cla Multiple dependent c	sues)		v	Fee (\$) 50 200 360	Small Entity Fee (\$) 25 100 180					
Total Claims	Extra Clai		<u>Fee</u>	Paid (\$)		<u>Multiple</u> Fee (\$)	Dependent Claims Fee Paid (\$)			
- 20 or HP = x = Fee (\$) Fee P.  HP = highest number of total claims paid for, if greater than 20.  Indep. Claims										
	- 3 or HP =x = HP = highest number of independent claims paid for, if greater than 3.									
3. APPLICATION SIZE FEE  If the specification and drawings exceed 100 sheets of paper (excluding electronically filed sequence or computer listings under 37 CFR 1.52(e)), the application size fee due is \$250 (\$125 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).  Total Sheets  Extra Sheets  Number of each additional 50 or fraction thereof  Fee (\$) Fee Paid (\$)										
- 100 = 4. OTHER FEE(S)		/ 50 =		_ (round <b>up</b> to a	whole nu	mber) x	Fees Paid (\$)			
Non-English Specific		•					4040.00			
Other (e.g., late filing	g surcharg	e):Request for Co	ntinued E	xamination & On	<u>ne-Month</u>	Extension Reque	est \$910.00			

SUBMITTED BY								
Signature	a offin	Registration No. (Attorney/Agent) 36,175	Telephone 206-957-2490					
Name (Print/Type	Darren J. Jones		Date July 20, 2005					

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.





# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Jean Ellen Johnson

Attorney Docket No. STEA-1-1001

Serial No.:

10/714,512

Group Art Unit:

3617

Filing Date: November 14, 2003

Examiner:

Avila, S.P.

Title:

INTERNAL BODY ENCIRCLING BELT FOR PERSONAL FLOTATION

**DEVICES** 

## RESPONSE TO OFFICE ACTION

## TO THE COMMISSIONER OF PATENTS:

## AMENDMENT AND RESPONSE

Amendments to the claims begin on page 2 of this paper. Remarks begin on page 13 of this paper.

BLACK LOWE & GRAHAM PLIC

25315

-1-

STEA-1-1001RFOA

701 Fifth Avenue, Suite 4800 Seattle, Washington 98104 206.381.3300 • F: 206.381.3301 IN THE CLAIMS:

Please amend the claims as follows:

1. (Currently Amended): A system for a covered belt for a personal flotation device,

the system comprising:

a buoyant material, having a first side arranged to face towards a body of a user of the

device, and a second side arranged to face away from the body;

a cover, arranged to cover at least a portion of the second side of the buoyant material;

and

a belt, arranged to encircle a portion of the body, positioned between at least a portion

of the cover and the second side of the buoyant material, the belt passing through

the cover at at least one location, the belt being stitched to the cover near adjacent

the at least one location where the belt passes through the cover.

2. (Original): The system of Claim 1, wherein the cover includes stretchable fabric.

3. (Original): The system of Claim 2, wherein the stretchable fabric includes

neoprene.

4. (Original): The system of Claim 1, wherein the belt includes nylon webbing.

5. (Original): The system of Claim 1, wherein the belt is arranged to encircle the

body.

6. (Original): The system of Claim 1, wherein the belt is stitched to the cover at at

least two locations.

BLACK LOWE & GRAHAM PLLC

- 2 -

- 7. (Original): The system of Claim 6, wherein the cover includes a first lateral edge, and a second lateral edge, and the belt is stitched to the cover near the first lateral edge and the second lateral edge.
- 8. (Original): The system of Claim 1, wherein the belt passes through the cover at at least one location.
  - 9. (Canceled)
- 10. (Previously Amended): The system of Claim 8 wherein the belt being stitched to the cover near the at least one location where the belt passes through the cover includes being stitched with a bar tack.
- 11. (Original): The system of Claim 8 wherein the belt passes through the cover at at least two locations.
- 12. (Original): The system of Claim 11 wherein the belt is stitched to the cover near the at least two locations where the belt passes through the cover.
- 13. (Original): The system of Claim 12 wherein the belt is stitched to the cover near the at least two locations where the belt passes through the cover includes being stitched with a bar tack.
- 14. (Original): The system of Claim 1 wherein the belt being stitched to the cover at at least one location includes being stitched with a bar tack.
  - 15. (Previously Amended): A personal flotation device, the device comprising: at least one segment of buoyant material, having a first side arranged to face towards a body of a user of the device, and a second side arranged to face away from the body;

BLACK LOWE & GRAHAM PLLO

25315

CUSTOMER NUMBER

- at least one cover, arranged to cover at least a portion of the second side of the segment of buoyant material; and
- a belt, arranged to encircle the body, positioned between at least a portion of the cover and the second side of the buoyant material, the belt passing through the cover from inside to outside at at least one location, the belt stitched to the cover approximately adjacent the at least one location where the belt passes through the cover.
- 16. (Original): The system of Claim 15, wherein the cover includes stretchable fabric.
- 17. (Original): The system of Claim 16, wherein the stretchable fabric includes neoprene.
  - 18. (Original): The system of Claim 15, wherein the belt includes nylon webbing.
- 19. (Original): The system of Claim 15, wherein the belt is stitched to the cover at at least two locations.
- 20. (Original): The system of Claim 19, wherein the cover includes a first lateral edge, and a second lateral edge, and the belt is stitched to the cover near the first lateral edge and the second lateral edge.
- 21. (Original): The system of Claim 15, wherein the belt passes through the cover at at least one location.
- 22. (Original): The system of Claim 21 wherein the belt passes through the cover at at least two locations.
- 23. (Original): The system of Claim 22 wherein the belt is stitched to the cover near the at least one location where the belt passes through the cover.

BLACK LOWE & GRAHAM \*LC

- 4 -

- 24. (Original): The system of Claim 23 wherein the belt is stitched to the cover near the at least two locations where the belt passes through the cover.
- 25. (Original): The system of Claim 23 wherein the belt is stitched to the cover includes being stitched with a bar tack.
- 26. (Currently Amended): A system for a covered belt for a personal flotation device, the system comprising:
  - a buoyant material, having a first side arranged to face towards a body of a user of the device, a second side arranged to face away from the body, and a first lateral edge, and a second lateral edge;
  - a stretchable cover, arranged to cover the second side of the buoyant material, having an inside facing towards the buoyant material and an outside facing away from the buoyant material; and
  - a belt, arranged to encircle a portion of the body, positioned between at least a portion of inside of the cover and the second side of the buoyant material, the belt passing from the inside to the outside through the cover at a first location near adjacent the first lateral edge and from the inside to the outside at a second location near adjacent the second lateral edge, and the belt stitched to the cover near adjacent the first location and near adjacent the second location.
- 27. (Original): The system of Claim 26, wherein the stretchable fabric includes neoprene.
  - 28. (Original): The system of Claim 26, wherein the belt includes nylon webbing.

BLACK LOWE & GRAHAM PLLO

- 29. (Previously Amended): A personal flotation device, the device comprising:
- a back segment of buoyant material, having a first side arranged to face towards a body of a user of the device, and a second side arranged to face away from the body, and having a first right lateral edge and a first left lateral edge,
- a right front segment of buoyant material, having a third side arranged to face towards a body of a user of the device, a fourth side arranged to face away from the body, a second right lateral edge and a second left lateral edge, the right front segment attached to the back segment near the first right lateral edge and the second right lateral edge;
- a left front segment of buoyant material, having a fifth side arranged to face towards a body of a user of the device, and a sixth side arranged to face away from the body, a third right lateral edge and third left lateral edge, the left front segment attached to the back segment near the first left lateral edge and the third left lateral edge, the left front segment arranged to be detachably linked to the right front segment near the second left lateral edge and the third right lateral edge;
- a back cover of stretchable fabric arranged to cover at least a portion of the second side; a right front cover of stretchable fabric arranged to cover at least a portion of the fourth

side;

- a left front cover of stretchable fabric arranged to cover at least a portion of the sixth side;
- at least one belt, arranged to encircle the body, sandwiched between at least a portion of the back cover and the back segment, sandwiched between at least a portion of the right front cover and the right front segment, and sandwiched between at least a portion of the left front cover and the left front segment, the at least one belt stitched at at least one location to the back cover, stitched at at least one location to

BLACK LOWE & GRAHAM PLLC

- 6 -

the right front cover, and stitched at at least one location to the left front cover, wherein the belt passes through the cover at at least one location and is stitched to the cover near where it passes through.

- 30. (Original): The system of Claim 29, wherein the stretchable fabric includes neoprene.
  - 31. (Original): The system of Claim 29, wherein the belt includes nylon webbing.
- 32. (Original): The system of Claim 29, wherein the belt is stitched to the back cover at at least two locations.
- 33. (Original): The system of Claim 32, wherein the back cover includes a first right edge, and a first left edge, and the belt is stitched to the cover near the first right edge and the first left edge.
  - 34. (Previously Amended): A personal flotation device, the device comprising:
  - a back segment of buoyant material, having a first side arranged to face towards a body of a user of the device, and a second side arranged to face away from the body, and having a first right lateral edge and a first left lateral edge,
  - a right front segment of buoyant material, having a third side arranged to face towards a body of a user of the device, a fourth side arranged to face away from the body, a second right lateral edge and a second left lateral edge, the right front segment attached to the back segment near the first right lateral edge and the second right lateral edge;
  - a left front segment of buoyant material, having a fifth side arranged to face towards a body of a user of the device, and a sixth side arranged to face away from the body, a third right lateral edge and third left lateral edge, the left front segment attached to

BLACK LOWE & GRAHAM PLLC

- 7 -

the back segment near the first left lateral edge and the third left lateral edge, the left front segment arranged to be detachably linked to the right front segment near the second left lateral edge and the third right lateral edge;

a back cover of stretchable fabric arranged to cover at least a portion of the second side;

a right front cover of stretchable fabric arranged to cover at least a portion of the fourth side;

a left front cover of stretchable fabric arranged to cover at least a portion of the sixth side;

at least one belt, arranged to encircle the body, sandwiched between at least a portion of the back cover and the back segment, sandwiched between at least a portion of the right front cover and the right front segment, and sandwiched between at least a portion of the left front cover and the left front segment, the at least one belt stitched at at least one location to the back cover, stitched at at least one location to the right front cover, and stitched at at least one location to the left front cover, wherein the belt passes through the back cover at at least two locations.

35. (Original): The system of Claim 34 wherein the belt is stitched to the back cover near the at least two locations where the belt passes through the back cover.

36. (Original): The system of Claim 29, wherein the belt is stitched to the right front cover at at least two locations.

37. (Original): The system of Claim 36, wherein the right front cover includes a first right edge, and a first left edge, and the belt is stitched to the cover near the first right edge and the first left edge.

BLACK LOWE & GRAHAM \*\*\*\*

25315

- 38. (Previously Amended): A personal flotation device, the device comprising:
- a back segment of buoyant material, having a first side arranged to face towards a body of a user of the device, and a second side arranged to face away from the body, and having a first right lateral edge and a first left lateral edge,
- a right front segment of buoyant material, having a third side arranged to face towards a body of a user of the device, a fourth side arranged to face away from the body, a second right lateral edge and a second left lateral edge, the right front segment attached to the back segment near the first right lateral edge and the second right lateral edge;
- a left front segment of buoyant material, having a fifth side arranged to face towards a body of a user of the device, and a sixth side arranged to face away from the body, a third right lateral edge and third left lateral edge, the left front segment attached to the back segment near the first left lateral edge and the third left lateral edge, the left front segment arranged to be detachably linked to the right front segment near the second left lateral edge and the third right lateral edge;
- a back cover of stretchable fabric arranged to cover at least a portion of the second side;
- a right front cover of stretchable fabric arranged to cover at least a portion of the fourth side;
- a left front cover of stretchable fabric arranged to cover at least a portion of the sixth side:
- at least one belt, arranged to encircle the body, sandwiched between at least a portion of the back cover and the back segment, sandwiched between at least a portion of the right front cover and the right front segment, and sandwiched between at least a portion of the left front cover and the left front segment, the at least one belt stitched at at least one location to the back cover, stitched at at least one location to

BLACK LOWE & GRAHAM \*\*\*\*

701 Fifth Avenue, Suite 4800 Seattle, Washington 98104 the right front cover, and stitched at at least one location to the left front cover, wherein the belt passes through the right front cover at at least two locations.

39. (Original): The system of Claim 33 wherein the belt is stitched to the right front cover near the at least two locations where the belt passes through the right front cover.

40. (Original): The system of Claim 29, wherein the belt is stitched to the left front cover at at least two locations.

41. (Original): The system of Claim 36, wherein the left front cover includes a first

right edge, and a first left edge, and the belt is stitched to the cover near the first right edge and

the first left edge.

42. (Previously Amended): A personal flotation device, the device comprising:

a back segment of buoyant material, having a first side arranged to face towards a body

of a user of the device, and a second side arranged to face away from the body, and

having a first right lateral edge and a first left lateral edge,

a right front segment of buoyant material, having a third side arranged to face towards a

body of a user of the device, a fourth side arranged to face away from the body, a

second right lateral edge and a second left lateral edge, the right front segment

attached to the back segment near the first right lateral edge and the second right

lateral edge;

a left front segment of buoyant material, having a fifth side arranged to face towards a

body of a user of the device, and a sixth side arranged to face away from the body, a

third right lateral edge and third left lateral edge, the left front segment attached to

the back segment near the first left lateral edge and the third left lateral edge, the

left front segment arranged to be detachably linked to the right front segment near

the second left lateral edge and the third right lateral edge;

BLACK LOWE & GRAHAM PLLO

206.381.3300 • F: 206.381.3301

701 Fifth Avenue, Suite 4800 Seattle, Washington 98104

25315

- a back cover of stretchable fabric arranged to cover at least a portion of the second side;
- a right front cover of stretchable fabric arranged to cover at least a portion of the fourth side;
- a left front cover of stretchable fabric arranged to cover at least a portion of the sixth side;
- at least one belt, arranged to encircle the body, sandwiched between at least a portion of the back cover and the back segment, sandwiched between at least a portion of the right front cover and the right front segment, and sandwiched between at least a portion of the left front cover and the left front segment, the at least one belt stitched at at least one location to the back cover, stitched at at least one location to the right front cover, and stitched at at least one location to the left front cover wherein the belt passes through the left front cover at at least two locations.
- 43. (Original): The system of Claim 42 wherein the belt is stitched to the left front cover near the at least two locations where the belt passes through the left front cover.
- 44. (Currently Amended): A method for covering a belt on a personal floatation device, comprising:

arranging a cover over a buoyant material

sandwiching at least a portion of a belt between a portion of the cover and the buoyant material;

passing the belt through the cover at at least one location; and

stitching the belt to the cover near adjacent the at least one location that it passes through the cover.

45. (Original): The method of Claim 44, wherein arranging the cover over the buoyant material includes stretching the cover over the buoyant material.

BLACK LOWE & GRAHAM \*LIG

25315

- 11 -

- 46. (Original): The method of Claim 44, further comprising passing the belt through the cover at at least one penetration.
  - 47. (Currently Amended): A personal flotation device, the device comprising:
  - a plurality of segments of buoyant material, each segment having a first side arranged to face towards a body of a user of the device, and a second side arranged to face away from the body, and each segment having a right lateral edge and a left lateral edge,
  - a cover of stretchable fabric arranged to cover the first side of the plurality of segments of buoyant material; and
  - at least one belt, arranged to encircle the body, and arranged to pass though the cover at a plurality of locations, the at least one belt being stitched to the cover near adjacent the locations that it passes through the cover.
- 48. (Original): The system of Claim 47, wherein the at least one belt is stitched to the cover near the plurality of locations where the at least one belt passes through the cover.
- 49. (Original): The system of Claim 48, wherein the at least one belt is stitched to the cover near the right lateral edge and the left lateral edge of at least one segment of buoyant material.
- 50. (Original): The system of Claim 47, wherein the at least one belt passes through the cover near the right lateral edge and the left lateral edge of at least one segment of buoyant material.

BLACK LOWE & GRAHAM \*\*\*\*

#### REMARKS

This Amendment responds to the Final Office Action mailed April 5, 2005 in which the Examiner rejected Claims 1-8, 10-28, and 44-50 and allowed Claims 29-43. By way of response, Applicant has amended Claims 1, 26, 44, and 47. Applicant will address each of the rejections in the order presented in the Office Action.

## **SECTION 102(b) and 103(a) REJECTIONS**

The Examiner's rejections of the claims herein are based on 35 U.S.C. §102(b) and 103(a). All such rejections rely on either the Brown reference by itself (U.S. Patent No. 2,363,639) or a combination of Brown with other references, such as Khanamirian or Steger et al. Applicant thanks the Examiner for his clarification that he considers "near" to be relative term such that the claims read on the Brown reference.

As discussed in the Applicant's previous amendment, Brown discloses belt stitching at the back of a life jacket with straps that exit the jacket on the front. In contrast, the Applicant has shown and described the stitching as being at or near the openings in the vest cover. Thus, on pages 3 and 4 of the present specification (from page 3, line 33 through page 4, line 9), Applicant discusses the desirability of stitching near the location where the straps pass through the cover. The figures show a preferred embodiment of where the stitching is employed. As described in the specification, such stitching near where the straps pass through the cover provides a smooth surface to the vest and also reduces the opportunity for snagging. This would not be the case with the life preserver disclosed in Brown since the stitching is relatively remote from the openings.

To further clarify the claims to address the Examiner's concern that the stitching cannot be interpreted as being "near" when it is arranged relative to the openings as shown in Brown, Applicant has amended the independent claims to indicate that the belt is stitched to the cover "adjacent" the location where the belt passes through the cover. Applicant notes that Claim 15,

BLACK LOWE & GRAHAM PLLO

- 13 -

701 Fifth Avenue, Suite 4800 Seattle, Washington 98104 206.381.3300 • F: 206.381.3301 while not currently amended, contain the language "approximately adjacent." Thus, Applicant believes that all claims clearly set forth the subject matter of the invention in a manner that addresses the Examiner's concern regarding relative terms.

BLACK LOWE & GRAHAM PLLC

25315

#### **ALLOWABLE CLAIMS**

Applicant thanks the Examiner for his indication that Claims 29-43 are allowable.

### **CONCLUSION**

Based on the remarks and clarifying amendments set forth herein, Applicant submits that all claims define over the prior art of record and request an early Notice of Allowance. If any further questions remain, Examiner is invited to telephone Applicant's attorney at the number listed below.

Respectfully submitted,

BLACK LOWE & GRAHAMPLLC

Registration No.: 36,715 Direct Dial: 206.957.2490

#### MAIL CERTIFICATE

I hereby certify that this communication is being deposited with the United States Postal Service via first class mail under 37 C.F.R. § 1.08 on the date indicated below addressed to: MAIL STOP AMENDMENT, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

BLACK LOWE & GRAHAM PLLC

STEA-1-1001RFOA

701 Fifth Avenue, Suite 4800 Seattle, Washington 98104 206.381.3300 • F: 206.381.3301